

GAUGE

Gauge	Diameter (d)	Length (d)
2		60d
3		50d
4		40d
5		30d
6		20d
8		16d
9		12d
9		10d
10 1/4		9d
10 1/4		8d
11 1/2		7d
11 1/2		6d
12 1/2		5d
12 1/2		4d

1 2 3 4 5 6

**FIG. 1A**

000000-4245560




FIG. 1B

000000-4450560





FIG. 1C



<p>H - 9 3/8" 1" Wide Crown. 16 Gauge Staples L - 13 1/2" 3/4" - 1 1/2" Lengths. Capacity 140+ W - 5.3lb.</p> <p>P</p>	<p>H - 9 3/8" Available Crown Widths 1/4", 3/8", 7/16". L - 12 3/8" 5/8" - 1 1/2" Lengths. Capacity 168 W - 4.2lb.</p> <p>L</p> <p>MODELS SKS L</p> <p>M</p> <p>SKS M</p> <p>N</p> <p>SKS N</p>
<p>H - 8 1/16" 1" Wide Crown. 16 Gauge Staples L - 12 1/2" 1/2" - 1 1/4" Lengths. Capacity 140+ W - 4.9lb.</p> <p>P</p>	<p>H - 8 1/2" Available Crown Widths 3/16", 3/8", 1/4". L - 12" 18 Gauge Staples W - 2.5lb. 3/8" - 1 1/2" Lengths. Capacity 168</p> <p>L</p> <p>K</p> <p>M</p> <p>R</p>
<p>H - 9 3/4" 1" Wide Crown. 16 Gauge Staples L - 12 9/16" 3/4" - 1 1/2" Lengths. Capacity 140+ W - 7.4lb.</p> <p>P</p>	<p>H - 6 1/8" Available Crown Widths 3/8", 1/2". L - 8 5/8" 22 Gauge Staples W - 2 1/4" - 5/8" Lengths. Capacity 180 to 2.2lb.</p> <p>C</p> <p>B</p>

(NOT TO SCALE)

FIG. 2

001030-4ET58560




FIG. 3

007090-425850




FIG. 4

001090-42758560




FIG. 5A

001090" 4E158560




FIG. 5B



001090-425560




FIG. 5C

001090-468560





FIG. 5D